

# Python Notes

Notes by [jpwebdevelopers.in](http://jpwebdevelopers.in)

## Operators and Expressions

Operators in Python: :-

Operators are special symbols in Python, that are used to perform operations on variables and values.

The value that the operator operates on is called the operand.

Example:

$$= = = \quad 2+3 \\ \quad \quad \quad 5$$

→ Here,  $+$  is the operator, that performs addition.

→  $2$  and  $3$  are the operands.


→  $5$  is the output of the operation.

\* (A sequence of operands and operators, like  $a+b-5$ , is called an expression.)

## Types of operators

Python divides the operators in the following groups:

- Arithmetic operators
- Relational Operators
- Logical Operators
- Assignment Operators
- Bitwise Operators
- Membership Operators } special operators
- Identity Operators



## 1. Arithmetic operators :-

Arithmetic operators are used to perform mathematical operations like addition, subtraction, multiplication and division.

Operator	Description	Syntax
+	[Addition] : adds two operands	$a+b$
-	[Subtracts] : subtracts two operands	$a-b$
*	[multiplication] : multiplies two operands	$a*b$
/	[Division (float)] : divides the first operand by second	$a/b$
%	[Modulus] : returns the remainder when first operand is divided by second	$a\%b$
//	[Floor Division] (also called integer division)	$a//b$
**	[Power] : Returns first raised to power second	$a**b$

## # Example of Arithmetic Operator

$$a = 15$$

$$b = 4$$

### # Arithmetic operations

$$\text{add} = a + b$$

# Addition of numbers

$$\text{sub} = a - b$$

# Subtraction of numbers

$$\text{mul} = a * b$$

# Multiplication of number

$$\text{div} = a / b$$

# Division (float) of number

$$\text{div2} = a // b$$

# Division (floor) of number

$$\text{mod} = a \% b$$

# Modulo of both numbers

$$p = a ** b$$

# power

### # print output

print(add)

print(sub)

print(mul)

print(div)

print(div2)

print(mod)

print(p)

Output

19

11

60

3.75

3

3

50625

## 2. Relational Operators :

Relational operators compares the value. It either returns True or False according to the condition.

Operator	Description	Syntax
$>$	Greater than :- True if left operand is greater than right	$a > b$
$<$	less than :- True if left operand is less than right	$a < b$
$==$	Equal to :- True if both operands are equal.	$a == b$
$!=$	Not equal to :- True if both operands are not equal	$a != b$
$>=$	Greater than or equal to :- True if left operand is greater than or equal to the right	$a >= b$
$<=$	less than or equal to :- True if left operand is less than or equal to the right	$a <= b$

Example:-

## Comparison operators in Python

a=10

b=12

```
print (a > b)           # a > b is False
print (a < b)           # a < b is True
print (a == b)         # a == b is False
print (a != b)         # a != b is True
print (a >= b)         # a >= b is False
print (a <= b)         # a <= b is True
```

Output:-

False

True

False

True

False

True

## (3) Logical Operators :-

Logical operators perform Logical AND, Logical OR and Logical NOT operations.

Operator	Description	Syntax
and	Logical AND: True if both operands are True.	a and b
or	Logical OR: True if either of the operands is True.	a or b
not	Logical NOT: True if operand is false.	not a

### Examples of Logical Operators.

a = True  
b = False

```
print(a and b)  
print(a or b)  
print(not a)
```

Output

False  
True  
False

## 4 Assignment Operators.

Assignment Operators are used in Python to assign values to variables. ( $a = 5$ )

Operator	Description	Syntax
=	Assign value of right side of expression to left side of operand.	$c = a + b$
+=	<b>Add AND:</b> Add right side operand with left side operand and then assign to left operand.	$a += b$ $a = a + b$
-=	<b>Subtract AND:</b> subtract right operand from left operand then assign to left operand.	$a -= b$ $a = a - b$
*=	<b>Multiply AND:</b> multiply right operand with left operand and then assign to left operand.	$a * = b$ $a = a * b$
/=	<b>Divide AND:</b> Divide left operand with right operand and then assign to left operand.	$a / = b$ $a = a / b$

Operator	Description	Syntax
$\% =$	<b>Modulus AND:</b> Takes modulus using left and right operands and assign result to left operand.	$a \% b$ $a = a \% b$
$// =$	<b>Divide (floor) AND:</b> Divide left operand with right operand and then assign the value (floor) to left operand.	$a // b$ $a = a // b$
$** =$	<b>exponential (Power):</b> calculation on operators and assign value to left operand.	$a ** b$
$\& =$	<b>Bitwise AND:</b> Perform Bitwise AND on operands and assign value to left operand.	$a \& b$ $a = a \& b$
$  =$	Performs <b>Bitwise OR</b> on operands and assign value to left operand.	$a   b$ $a = a   b$
$\wedge =$	<b>XOR:</b> on operands and assign value to left operand.	$a \wedge b$ $a = a \wedge b$

>> =

Bitwise right shift

$a = a \gg b$

<< =

Bitwise left shift

$a = a \ll b$

Some Examples

$a = 10$   
 $b = 20$

print(a + b)

(ii)

m = 15

$m + = 3$

print(m)

(iii)

n = 4

$n - = 3$

print(n)

(iv)

z = 4

$z * = 1$

print(z)

Output:- 30

18

1

4

## 5 Bitwise Operators :-

Bitwise operators acts on bits and performs bit by bit operation.

It is used to compare (binary) number.

Operator	Description	Syntax
&	Bitwise AND	$a \& b$
	Bitwise OR	$a   b$
~	Bitwise NOT	$\sim a$
^	Bitwise XOR	$a \wedge b$
>>	Bitwise right shift	$a \gg$
<<	Bitwise left shift	$a \ll$

# Examples of Bitwise operators

$$a = 10$$

$$b = 4$$

# bitwise AND `print(a & b)`

# bitwise OR `print(a | b)`

# bitwise NOT `print(~a)`

# bitwise XOR `print(a ^ b)`

# bitwise right `print(a >> 2)`

# bitwise left  
shift `print(a << 2)`

Output

0

14

-11

14

2

40

## 6 Special Operators

Python language offers some special types of operators like the identity operator or membership operator

▷ Identity Operators

» Membership Operators

### ▷ Identity Operators 1-

- is and is not are the identity operators in Python
- They are used to check if two values are located on the same part of the memory.
- Two variables (values) that are equal does not imply that they are identical.

Operator	Description	Example
is	True if the operands are identical	a is True
is not	True if the operands are not identical.	a is not True

## Example

a1 = 5

b1 = 5

a2 = 'jpwebdevelopers'

b2 = 'jpwebdevelopers'

a3 = [1, 2, 3]

b3 = [1, 2, 3]

print(a1 is b1)

print(a2 is not b2)

print(a3 is b3)

Output

True

False

False

## ▷ Membership Operators

→ in and not in are the membership operators in Python.

→ They are used to test whether a value or variable is found in a sequence (string, list, tuple, set and dictionary)

Operator	Meaning (Description)	Example
in	True if value is found in the sequence.	5 in a
not in	True if value is not found in the sequence.	5 not in a

## # Examples of Membership operator

```
a = "jpwebdevelopers"  
print('p' in a)
```

Output

True

```
print('w' in not a)
```

Output

False

jpwebdevelopers

Download complete handwritten notes of python 📌 📌

[jpwebdevelopers.in](http://jpwebdevelopers.in)